## MAINE DEP DRYCLEANER REGISTRATION FORM

Registration is due <u>on or before MARCH 1</u> for the previous calendar year's activities, and must be signed and verified as accurate and true by the owner or operator of the facility. For assistance call (207) 287-7688.

Mail to:

DEP, Bureau of Air Quality, 17 State House Station, Augusta, ME 04333-0017, Attn. Pete Carleton

Or: Scan and e-mail to peter.g.carleton@maine.gov

| FACILITY NAME  |                        |                        |  |                             |      | <del></del>            |
|--|------------------------|------------------------|--|-----------------------------|------|------------------------|
|  |                        | Contact:               |  |                             |      |                        |
|  |                        | Email Address:         |  |                             |      |                        |
| MAILING INFORMATION  |                        | Street/P.O Box:        |  |                             |      |                        |
|  |                        | City: State: Zip code: |  |                             |      |                        |
|  |                        | Phone: e-mail:         |  |                             |      |                        |
| PLANT LOCATION   |                        | 911 Address:           |  |                             |      |                        |
| □ Drop-off only  |                        | City: State: Zip code: |  |                             |      |                        |
|  |                        | Phone: e-mail:         |  |                             |      |                        |
| PROCESS INFORMATION: Total Number of Machines:                                       |                        |                        |  |                             |      |                        |
| Machine Type   | Date Machine Installed |                        |  | Control Device              |      | Date Control Installed |
| Dry - to - Dry<br>Sample I   | 1/1/2008<br>Data       | Sample                 | Refrigerat<br>D a t a                      | ed Condenser<br>S a m p l e | Data | 1/1/2008               |
|  |                        |                        |  |                             |      |                        |
|  |                        |                        |  |                             |      |                        |
| Perchloroethylene use and disposal information for Jan. 1 to Dec. 31,                |                        |                        |  |                             |      |                        |
| Amount of perchloroethylene purchased:   |                        |                        | gal. From Dec. page of Compliance Calendar |                             |      |                        |
| Amount of waste generated and shipped offsite  |                        |                        | pounds                                     |                             |      |                        |
| Is there any occupied space directly above or  |                        |                        | □ Yes                                      | If Yes, please describe:    |      |                        |
| adjacent to the dry cleaning facility (e.g. office, living space, restaurant, etc.)? |                        |                        | □No  |                             |      |                        |
| J. , , , , , , , , , , , , , , , , , , ,   | ,                      |                        |  |                             |      |                        |
| I have stopped using perchloroethylene and disposperchloroethylene legally.          |                        |                        | ed of all                                  | □ Yes                       |      |                        |
| perchioroethylene legali   | ıy.                    |                        |  |                             |      |                        |
| Signature: Date:   |                        |                        |  |                             |      |                        |