



DEPARTMENT ORDER

Georgia Stone Industries, Inc.
Hancock County
Stonington, Maine
A-598-71-H-R

Departmental
Findings of Fact and Order
Air Emission License
Renewal

FINDINGS OF FACT

After review of the air emission license renewal application, staff investigation reports, and other documents in the applicant's file in the Bureau of Air Quality, pursuant to 38 Maine Revised Statutes (M.R.S.) § 344 and § 590, the Maine Department of Environmental Protection (the Department) finds the following facts:

I. **REGISTRATION**

A. Introduction

The Air Emission License for Georgia Stone Industries, Inc. (Georgia Stone) expired on April 23, 2017. Georgia Stone has applied to renew their expired license for the operation of their granite quarry at the Crotch Island Quarry in Stonington, Maine. The primary and secondary rock crushers were licensed for installation during the last renewal but were not installed. This application is for newer units with the same rated production capacity which may potentially be installed during the 2018 operating season.

In addition, a portable Sullair 750 cfm air compressor equipped with a distillate fuel fired John Deere engine is being added to the equipment listed.

The site location of the quarry is Crotch Island in Stonington, Maine.
The main office for Georgia Stone is located at 15 Branch Pike, Smithfield, RI.

B. Emission Equipment

The following equipment is addressed in this Air Emission License:

Rock Crushers

<u>Designation</u>	<u>Powered</u>	<u>Process Rate (tons/hour)</u>	<u>Date of Manufacture</u>	<u>Control Device</u>
Primary	electrical	150	2017	Spray Nozzles
Secondary	electrical	150	2017	Spray Nozzles

Engines

Unit ID	Max. Capacity (MMBtu/hr)	Max. Firing Rate (gal/hr)	Fuel Type, % sulfur	Date of Manuf.
Portable Sullair Air Compressor	~1.64	12	distillate fuel, 0.0015%	<2000

Georgia Stone may operate small stationary engines smaller than 0.5 MMBtu/hr. These engines are considered insignificant activities and are not required to be included in this license. However, they are still subject to applicable State and Federal regulations. More information regarding requirements for small stationary engines is available on the Department's website at the link below.

<http://www.maine.gov/dep/air/publications/docs/SmallRICEGuidance.pdf>

Additionally, Georgia Stone may operate additional portable engines used for maintenance or emergency-only purposes. These engines are considered insignificant activities and are not required to be included in this license. However, they may still be subject to applicable State and Federal regulations.

C. Definitions

Distillate Fuel. For the purposes of this license, *distillate fuel* means the following:

- Fuel oil that complies with the specifications for fuel oil numbers 1 or 2, as defined by the American Society for Testing and Materials (ASTM) in ASTM D396;
- Diesel fuel oil numbers 1 or 2, as defined in ASTM D975;
- Kerosene, as defined in ASTM D3699;
- Biodiesel, as defined in ASTM D6751; or
- Biodiesel blends, as defined in ASTM D7467.

Nonmetallic mineral processing plant. For the purposes of this license, *nonmetallic mineral processing plant* means any combination of equipment that is used to crush or grind any nonmetallic mineral wherever located, including lime plants, power plants, steel mills, asphalt concrete plants, portland cement plants (not including concrete batch plants), or any other facility processing nonmetallic minerals.

Portable Engine. For the purposes of this license, *portable engine* means an internal combustion engine which is portable or transportable, meaning designed to be and capable of being carried or moved from one location to another. Indicia of transportability include,

but are not limited to, wheels, skids, carrying handles, dolly, trailer, or platform. This definition does NOT include engines which remain or will remain at a location (excluding storage locations) for more than 12 consecutive months or a shorter period of time for an engine located at a seasonal source. A location is any single site at a building, structure, facility, or installation. Any engine that replaces an engine at a location and that is intended to perform the same or similar function as the engine replaced will be included in calculating the consecutive time period.

D. Application Classification

All rules, regulations, or statutes referenced in this air emission license refer to the amended version in effect as of the issued date of this license.

E. Facility Classification

The facility is licensed as follows:

- As a natural minor source of air emissions, because facility emissions cannot exceed major source thresholds for criteria pollutants; and
- As an area source of hazardous air pollutants (HAP), because the licensed emissions are below the major source thresholds for HAP.

II. **BEST PRACTICAL TREATMENT**

A. Introduction

In order to receive a license, the applicant must control emissions from each unit to a level considered by the Department to represent Best Practical Treatment (BPT), as defined in *Definitions Regulation*, 06-096 C.M.R. ch. 100. Separate control requirement categories exist for new and existing equipment.

Although Georgia Stone has maintained an air emission license for this facility for several years, the licensed equipment has not yet been installed for operated. Therefore, the equipment in this license renewal requires a Best Available Control Technology (BACT), as defined in 06-096 C.M.R. ch. 100. BACT is a top-down approach to selecting air emission controls considering economic, environmental, and energy impacts.

B. Nonmetallic Mineral Processing Plants

The primary and secondary rock crushers are portable units which were manufactured in 2017 with rated capacities of 150 tons/hr. The nonmetallic mineral processing plant also consists of other equipment associated with the primary and secondary rock crushers, such as screens and belt conveyors.

1. BACT/BPT Findings

The regulated pollutant from nonmetallic mineral processing plants is particulate matter. To meet the requirements of BPT for control of particulate matter emissions, Georgia Stone shall maintain water sprays on the nonmetallic mineral processing plant and operate as needed to control visible emissions.

Visible emissions from the primary and secondary rock crusher shall each be limited to no greater than 10% opacity on a six-minute block average basis.

Visible emissions from nonmetallic mineral processing plant equipment other than crushers (transfer points on belt conveyors, screening operations, etc.) shall not exceed 20% opacity on a six-minute block average basis.

2. New Source Performance Standards

The federal regulation *Standards of Performance for Nonmetallic Mineral Processing Plants*, 40 C.F.R. Part 60, Subpart OOO, applies to equipment at nonmetallic mineral processing plants with capacities greater than 25 ton/hr for fixed plants and 150 ton/hr for portable plants. The requirements of Subpart OOO apply to any crusher, grinding mill, screening operation, bucket elevator, belt conveyor, bagging operation, storage bin, or enclosed truck or railcar loading station at a nonmetallic mineral processing plant greater than the sizes listed above which commenced construction, modification, or reconstruction after August 31, 1983.

The regulated pollutant from rock crushers is particulate emissions. To meet the requirements of BACT for control of particulate matter (PM) emissions from the rock crushers, Georgia Stone shall operate and maintain water sprays on the rock crushers and operate as necessary. Visible emissions from the rock crushers shall be limited to no greater than 10% opacity on a 6-minute block average basis.

Although these units are not subject to NSPS Subpart OOO, an initial performance test is required to demonstrate these units are capable of meeting the visible emissions limit stated above.

C. Sullair Air Compressor Engine

The portable Sullair Air Compressor is operated by a John Deere engine. The 750 cfm Sullair air compressor's engine has a maximum heat input capacity of 1.64 MMBtu/hr (275 HP), firing distillate fuel. The engine was manufactured by John Deere prior to 2000 and is a Model 750-TQ-JDD with serial number 004-970-35EHH. The compressor is moved to where it is needed on the site and is used primarily to operate rock cutting equipment. The fuel fired in the engine shall be limited to 75,000 gallons per year. The fuel limit was chosen to keep the facility below the 06-096 C.M.R. ch. 137 reporting thresholds. The engine

shall fire distillate fuel with a maximum sulfur content not to exceed 15 ppm (0.0015% sulfur by weight).

1. BPT/BACT Findings

The BACT/BPT emission limits for the engine were based on the following:

- PM, PM₁₀ - 0.12 lb/MMBtu from 06-096 C.M.R. ch. 115, BPT/BACT
- SO₂ - combustion of distillate fuel with a maximum sulfur content not to exceed 15 ppm (0.0015% sulfur by weight)
- NO_x - 4.41 lb/MMBtu from AP-42 dated 10/96
- CO - 0.95 lb/MMBtu from AP-42 dated 10/96
- VOC - 0.35 lb/MMBtu from AP-42 dated 10/96
- Visible Emissions - 06-096 C.M.R. ch. 115, BPT

The BACT/BPT emission limits for the generators are the following:

<u>Unit</u>	<u>PM (lb/hr)</u>	<u>PM₁₀ (lb/hr)</u>	<u>SO₂ (lb/hr)</u>	<u>NO_x (lb/hr)</u>	<u>CO (lb/hr)</u>	<u>VOC (lb/hr)</u>
Sullair Air Compressor Engine (1.64 MMBtu/hr), Distillate fuel	0.20	0.20	0.01	7.25	1.56	0.58

Visible emissions from the Sullair Air Compressor Engine shall not exceed 20% opacity on a six-minute block average basis.

2. New Source Performance Standards

Due to the date of manufacture of the compression ignition engine listed above, the air compressor and its associated engine is not subject to the New Source Performance Standards (NSPS) *Standards of Performance for Stationary Compression Ignition Internal Combustion Engines (CI ICE)*, 40 C.F.R. Part 60, Subpart IIII since the unit were manufactured prior to April 1, 2006. [40 C.F.R. § 60.4200]

3. National Emission Standards for Hazardous Air Pollutants

The engine is considered a non-road engine, as opposed to a stationary engine, since the engine is portable and will be moved to various sites at the quarry. Therefore, engine is not subject to *National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines*, 40 C.F.R. Part 63, Subpart ZZZZ. The definition in 40 C.F.R. § 1068.30 states that a non-road engine is an internal combustion engine that meets certain criteria, including: "Portable or

transportable, meaning designed to be and capable of being carried or moved from one location to another. Indicia of transportability include, but are not limited to, wheels, skids, carrying handles, dolly, trailer, or platform.” 40 C.F.R. § 1068.30 further states that an engine is not a non-road engine if it remains or will remain at a location for more than 12 consecutive months or a shorter period of time for an engine located at a seasonal source. An engine located at a seasonal source (a stationary source that remains in a single location on a permanent basis (i.e., at least two years) and that operates at that single location approximately three months (or more) each year) is an engine that remains at a seasonal source during the full annual operating period of the seasonal source. [40 C.F.R. § 63.6585]

D. Stock Piles and Roadways

Visible emissions from a fugitive emission source (including stockpiles and roadways) shall not exceed 20% opacity, except for no more than five minutes in any one-hour period during which time visible emissions shall not exceed 30% opacity. Compliance shall be determined by an aggregate of the individual fifteen-second opacity observations which exceed 20% in any one hour.

E. General Process Emissions

Visible emissions from any general process that is not part of a nonmetallic mineral processing plant shall not exceed 20% opacity on a six-minute block average basis.

F. Annual Emissions

1. Total Annual Emissions

Georgia Stone shall be restricted to the following annual emissions, based on a calendar year total. The tons per year limits were calculated based on 75,000 gal/yr distillate fuel used in the Sullair Air Compressor Engine:

Total Licensed Annual Emissions for the Facility
Tons/year
(used to calculate the annual license fee)

	PM	PM₁₀	SO₂	NO_x	CO	VOC
Sullair Compressor	0.6	0.6	0.1	22.7	4.9	1.8
Total TPY	0.6	0.6	0.1	22.7	2.9	1.8

2. Greenhouse Gases

Greenhouse gases are considered regulated pollutants as of January 2, 2011, through ‘Tailoring’ revisions made to EPA’s *Approval and Promulgation of Implementation*

Plans, 40 C.F.R. Part 52, Subpart A, § 52.21, *Prevention of Significant Deterioration of Air Quality* rule. Greenhouse gases, as defined in 06-096 C.M.R. ch. 100, are the aggregate group of the following gases: carbon dioxide, nitrous oxide, methane, hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride. For licensing purposes, greenhouse gases (GHG) are calculated and reported as carbon dioxide equivalents (CO₂e).

The quantity of CO₂e emissions from this facility is less than 100,000 tons per year, based on the following:

- the facility's fuel use limit;
- worst case emission factors from the following sources: U.S. EPA's AP-42, the Intergovernmental Panel on Climate Change (IPCC), and *Mandatory Greenhouse Gas Reporting*, 40 C.F.R. Part 98; and
- global warming potentials contained in 40 C.F.R. Part 98.

No additional licensing actions to address GHG emissions are required at this time.

III. AMBIENT AIR QUALITY ANALYSIS

The level of ambient air quality impact modeling required for a minor source is determined by the Department on a case-by case basis. In accordance with 06-096 C.M.R. ch. 115, an ambient air quality impact analysis is not required for a minor source if the total licensed annual emissions of any pollutant released do not exceed the following levels and there are no extenuating circumstances:

Pollutant	Tons/Year
PM ₁₀	25
SO ₂	50
NO _x	50
CO	250

The total licensed annual emissions for the facility are below the emission levels contained in the table above and there are no extenuating circumstances; therefore, an ambient air quality impact analysis is not required as part of this license.

ORDER

Based on the above Findings and subject to conditions listed below, the Department concludes that the emissions from this source:

- will receive Best Practical Treatment,
- will not violate applicable emission standards,
- will not violate applicable ambient air quality standards in conjunction with emissions from other sources.

The Department hereby grants Air Emission License A-598-71-H-R subject to the following conditions.

Severability. The invalidity or unenforceability of any provision of this License or part thereof shall not affect the remainder of the provision or any other provisions. This License shall be construed and enforced in all respects as if such invalid or unenforceable provision or part thereof had been omitted.

STANDARD CONDITIONS

- (1) Employees and authorized representatives of the Department shall be allowed access to the licensee's premises during business hours, or any time during which any emissions units are in operation, and at such other times as the Department deems necessary for the purpose of performing tests, collecting samples, conducting inspections, or examining and copying records relating to emissions (38 M.R.S. § 347-C).
- (2) The licensee shall acquire a new or amended air emission license prior to commencing construction of a modification, unless specifically provided for in 06-096 C.M.R. ch. 115. [06-096 C.M.R. ch. 115]
- (3) Approval to construct shall become invalid if the source has not commenced construction within eighteen (18) months after receipt of such approval or if construction is discontinued for a period of eighteen (18) months or more. The Department may extend this time period upon a satisfactory showing that an extension is justified, but may condition such extension upon a review of either the control technology analysis or the ambient air quality standards analysis, or both. [06-096 C.M.R. ch. 115]
- (4) The licensee shall establish and maintain a continuing program of best management practices for suppression of fugitive particulate matter during any period of construction, reconstruction, or operation which may result in fugitive dust, and shall submit a description of the program to the Department upon request. [06-096 C.M.R. ch. 115]

- (5) The licensee shall pay the annual air emission license fee to the Department, calculated pursuant to Title 38 M.R.S. § 353-A. [06-096 C.M.R. ch. 115]
- (6) The license does not convey any property rights of any sort or any exclusive privilege. [06-096 C.M.R. ch. 115]
- (7) The licensee shall maintain and operate all emission units and air pollution systems required by the air emission license in a manner consistent with good air pollution control practice for minimizing emissions. [06-096 C.M.R. ch. 115]
- (8) The licensee shall maintain sufficient records to accurately document compliance with emission standards and license conditions and shall maintain such records for a minimum of six (6) years. The records shall be submitted to the Department upon written request. [06-096 C.M.R. ch. 115]
- (9) The licensee shall comply with all terms and conditions of the air emission license. The filing of an appeal by the licensee, the notification of planned changes or anticipated noncompliance by the licensee, or the filing of an application by the licensee for a renewal of a license or amendment shall not stay any condition of the license. [06-096 C.M.R. ch. 115]
- (10) The licensee may not use as a defense in an enforcement action that the disruption, cessation, or reduction of licensed operations would have been necessary in order to maintain compliance with the conditions of the air emission license. [06-096 C.M.R. ch. 115]
- (11) In accordance with the Department's air emission compliance test protocol and 40 C.F.R. Part 60 or other method approved or required by the Department, the licensee shall:
 - A. Perform stack testing to demonstrate compliance with the applicable emission standards under circumstances representative of the facility's normal process and operating conditions:
 1. Within sixty (60) calendar days of receipt of a notification to test from the Department or EPA, if visible emissions, equipment operating parameters, staff inspection, air monitoring, or other cause indicate to the Department that equipment may be operating out of compliance with emission standards or license conditions;
or
 2. Pursuant to any other requirement of this license to perform stack testing.
 - B. Install or make provisions to install test ports that meet the criteria of 40 C.F.R. Part 60, Appendix A, and test platforms, if necessary, and other accommodations necessary to allow emission testing; and

- C. Submit a written report to the Department within thirty (30) days from date of test completion.
[06-096 C.M.R. ch. 115]
- (12) If the results of a stack test performed under circumstances representative of the facility's normal process and operating conditions indicate emissions in excess of the applicable standards, then:
- A. Within thirty (30) days following receipt of such test results, the licensee shall re-test the non-complying emission source under circumstances representative of the facility's normal process and operating conditions and in accordance with the Department's air emission compliance test protocol and 40 C.F.R. Part 60 or other method approved or required by the Department; and
 - B. The days of violation shall be presumed to include the date of stack test and each and every day of operation thereafter until compliance is demonstrated under normal and representative process and operating conditions, except to the extent that the facility can prove to the satisfaction of the Department that there were intervening days during which no violation occurred or that the violation was not continuing in nature; and
 - C. The licensee may, upon the approval of the Department following the successful demonstration of compliance at alternative load conditions, operate under such alternative load conditions on an interim basis prior to a demonstration of compliance under normal and representative process and operating conditions.
[06-096 C.M.R. ch. 115]
- (13) Notwithstanding any other provisions in the State Implementation Plan approved by the EPA or Section 114(a) of the CAA, any credible evidence may be used for the purpose of establishing whether a person has violated or is in violation of any statute, regulation, or Part 70 license requirement. [06-096 C.M.R. ch. 115]
- (14) The licensee shall maintain records of malfunctions, failures, downtime, and any other similar change in operation of air pollution control systems or the emissions unit itself that would affect emissions and that is not consistent with the terms and conditions of the air emission license. The licensee shall notify the Department within two (2) days or the next state working day, whichever is later, of such occasions where such changes result in an increase of emissions. The licensee shall report all excess emissions in the units of the applicable emission limitation. [06-096 C.M.R. ch. 115]
- (15) Upon written request from the Department, the licensee shall establish and maintain such records; make such reports; install, use, and maintain such monitoring equipment; sample such emissions in accordance with such methods, at such locations, at such intervals, and

in such a manner as the Department shall prescribe; and provide other information as the Department may reasonably require to determine the licensee's compliance status.
[06-096 C.M.R. ch. 115]

SPECIFIC CONDITIONS

(16) Nonmetallic Mineral Processing Plants

- A. Georgia Stone shall install and maintain spray nozzles for particulate control on the primary and secondary rock crushers and operate them as necessary to limit visible emissions to no greater than 10% opacity on a six (6) minute block average basis.
[06-096 C.M.R. 115, BACT and 06-096 C.M.R. 101]
- B. Georgia Stone shall maintain records detailing and quantifying the hours of operation on a daily basis for all of the crushers. The operation records shall be kept on-site at the rock crushing location. [06-096 C.M.R. ch. 115, BPT/BACT]
- C. Georgia Stone shall maintain a log detailing the maintenance on particulate matter control equipment including spray nozzles. Georgia Stone shall perform monthly inspections of any water sprays to ensure water is flowing to the correct locations and initiate corrective action within 24 hours if water is found to not be flowing properly. Records of the date of each inspection and any corrective action required shall be included in the maintenance log.
The maintenance log shall be kept on-site at the rock crusher location.
[06-096 C.M.R. 115, BACT]
- D. Visible emissions from the primary and secondary rock crushers shall each be limited to no greater than 10% opacity on a six-minute block average basis.
[06-096 C.M.R. ch. 115 BPT/BACT]
- E. Visible emissions from nonmetallic mineral processing plant equipment other than crushers (transfer points on belt conveyors, screening operations, etc.) shall not exceed 20% opacity on a six-minute block average basis.
[06-096 C.M.R. ch. 115, BPT/BACT]
- F. Georgia Stone shall either have an initial performance test performed on the rock crushers per the applicable sections of 40 C.F.R. Part 60, Subpart OOO, § 60.675 or provide documentation to the Department that the initial performance test was previously performed. (Documentation that a successful initial performance test was performed outside of Maine may be accepted.) [06-096 C.M.R. 115, BACT]

The initial performance test must be completed within 60 days after achieving the maximum production rate at which the unit will be operated, but no later than 180 days after initial startup of the unit. If the initial performance test for a facility falls within

a seasonal shutdown, then with approval from the Department, the initial performance test may be postponed until no later than 60 calendar days after resuming operation of the affected equipment. [06-096 C.M.R. 115, BACT]

- G. Georgia Stone shall conduct a performance test at least once every five years. [06-096 C.M.R. 115, BACT]
- H. Georgia Stone shall submit a test notice to the regional inspector at least 7 days prior to a performance test. [06-096 C.M.R. 115, BACT]
- I. The primary and secondary rock crushers shall not be attached or clamped via cable, chain, turnbuckle, bolt, or other means (except electrical connections) to any anchor, slab, or structure (including bedrock) that must be removed prior to transportation. [06-096 C.M.R. ch. 115, BPT and 40 C.F.R. § 60.670(c)(2)]

(17) **Sullair Air Compressor Engine**

A. Fuel Use

- 1. The Sullair Air Compressor Engine is licensed to fire distillate fuel with a maximum sulfur content not to exceed 15 ppm (0.0015% sulfur by weight). [06-096 C.M.R. ch. 115, BPT/BACT]
- 2. Total fuel use for the Sullair Air Compressor Engine shall not exceed 75,000 gal/yr of distillate fuel. Compliance shall be demonstrated by fuel records from the supplier showing the quantity and type of fuel used at the site. Records of annual fuel use shall be kept on a monthly and calendar year basis. [06-096 C.M.R. ch. 115, BPT/BACT]

B. Emissions shall not exceed the following [06-096 C.M.R. ch. 115, BPT]:

Unit	PM (lb/hr)	PM₁₀ (lb/hr)	SO₂ (lb/hr)	NO_x (lb/hr)	CO (lb/hr)	VOC (lb/hr)
Sullair Air Compressor Engine (1.64 MMBtu/hr)	0.20	0.20	0.01	7.25	1.56	0.58

- C. Visible emissions from the Sullair Air Compressor Engine shall not exceed 20% opacity on a six-minute block average basis. [06-096 C.M.R. ch. 115, BPT/BACT]

(18) **Stockpiles and Roadways**

Visible emissions from a fugitive emission source (including stockpiles and roadways) shall not exceed 20% opacity, except for no more than five minutes in any one-hour period during which time visible emissions shall not exceed 30% opacity. Compliance shall be determined by an aggregate of the individual fifteen-second opacity observations which exceed 20% in any one hour.

[06-096 C.M.R. ch. 115, BPT/BACT]

(19) **General Process Sources**

Visible emissions from any general process that is not part of a nonmetallic mineral processing plant shall not exceed 20% opacity on a six-minute block average basis.

[06-096 C.M.R. ch. 115, BPT/BACT]

(20) **Equipment Relocation** [06-096 C.M.R. ch. 115, BPT/BACT]

A. Georgia Stone shall notify the Bureau of Air Quality, by a written notification, prior to relocation of any equipment carried on this license. This pertains to relocation off of Crotch Island. It is preferred for notice of relocation to be submitted through the Department's on-line e-notice at:

www.maine.gov/dep/air/compliance/forms/relocation

Written notice may also be sent by fax (207-287-7641) or mail. Notification sent by mail shall be sent to the address below:

Attn: Relocation Notice
Maine DEP
Bureau of Air Quality
17 State House Station
Augusta, ME 04333-0017

The notification shall include the address of the equipment's new location, an identification of the equipment, and the license number pertaining to the relocated equipment.

B. Written notification shall also be made to the municipality where the equipment will be relocated, except in the case of an unorganized territory where notification shall be made to the respective county commissioners.

(21) Georgia Stone shall keep a copy of this Order at site where the licensed equipment is located, and have the operator(s) be familiar with the terms of this Order.

[06-096 C.M.R. ch. 115, BPT/BACT]

Georgia Stone Industries, Inc.
Hancock County
Stonington, Maine
A-598-71-H-R

14

Departmental
Findings of Fact and Order
Air Emission License
Renewal

- (22) Georgia Stone shall notify the Department within 48 hours and submit a report to the Department on a quarterly basis if a malfunction or breakdown in any component causes a violation of any emission standard [38 M.R.S. § 605].

DONE AND DATED IN AUGUSTA, MAINE THIS 19 DAY OF October, 2018.

DEPARTMENT OF ENVIRONMENTAL PROTECTION

BY: *Mark Allen Robert Cone for*
PAUL MERCER, COMMISSIONER

The term of this license shall be ten (10) years from the signature date above.

[Note: If a renewal application, determined as complete by the Department, is submitted prior to expiration of this license, then pursuant to Title 5 M.R.S. § 10002, all terms and conditions of the license shall remain in effect until the Department takes final action on the license renewal application.]

PLEASE NOTE ATTACHED SHEET FOR GUIDANCE ON APPEAL PROCEDURES

Date of initial receipt of application: 10/10/2017

Date of application acceptance: 10/17/2017

Date filed with the Board of Environmental Protection:

This Order prepared by Lisa P. Higgins, Bureau of Air Quality.

