

**ATTACHMENT A**

**Seeding Plan**

**PERMANENT SEEDING PLAN AREAS ABOVE 2,700 FEET**

Areas required to be seeded above elevation 2,700 feet are identified in the Revegetation Notes section on Sheet C-2. These areas are to be seeded with Balsam Fir Seeds only.

**PERMANENT SEEDING PLAN NON-WETLAND AREAS BELOW 2,700 FEET**

Project Black Nubble Wind Farm

Site Location Transmission Line Construction

Permanent Seeding  Temporary Seeding

1. Area to be seeded: not determined acre, OR            M Sq. Ft.
2. Instructions on preparation of soil: Prepare a good seed bed for planting method used.
3. Apply lime as follows:            #/acres, OR 138#/M Sq. Ft.
4. Fertilize with            pounds of - - N-P-K/ac. OR  
18.4 pounds of 10 - 20 - 20 N-P-K/M Sq. Ft.
5. Method of applying lime and fertilizer: Spread and work into the soil before seeding.
6. Seed with the following mixture:

- 50% *Agrostis perennans* (autumn bentgrass, upland bentgrass)
- 20% *Deschanpsia flexuosa* (common hairgrass, wavy hairgrass), as available
- 15% *Danthonia spicata* (poverty oatgrass)
- 15% *Danthonia compressa* (wild oatgrass)

When using small grain as nurse crop seed it at one-half the normal seeding rate.

7. Mulching instructions: Apply at the rate of            tons per acre. OR  
115 pounds per M. Sq. Ft.

	Amount	Unit #, Tons, Etc.
8. TOTAL LIME.....	138	#/1000 sq. ft.
9. TOTAL FERTILIZER.....	13.8	#/1000 sq. ft.
10. TOTAL SEED.....	4.0	#/1000 sq. ft.
11. TOTAL MULCH.....	230	#/1000 sq. ft.
12. TOTAL other materials, seeds, etc.....		

13. REMARKS

- Recommended seeding dates: Varies with elevation; see narrative.
- For areas with slopes >10%, waterways, areas within 100 feet of wetlands, and fall and winter erosion control areas, mulch netting shall be used per manufacturer's specifications.

Fertilizer requirements shall be subject to actual test results of the topsoil used for the project. The contractor shall be responsible for providing topsoil test results for pH and recommended fertilizer application rates to the Permittee.

**SEEDING PLAN WETLAND AREAS BELOW 2,700 FEET**

Project Black Nubble Wind Farm

Site Location Transmission Line Construction

X Permanent Seeding \_\_\_\_\_ Temporary Seeding

1. Area to be seeded: Not Determined acre, OR \_\_\_\_\_ M Sq. Ft.
2. Instructions on preparation of soil: Prepare a good seed bed for planting method used.
3. Apply lime as follows: \_\_\_\_\_ #/acres, OR 138#/M Sq. Ft.
4. Fertilize with \_\_\_\_\_ pounds of - - N-P-K/ac. OR  
18.4 pounds of 10 - 20 - 20 N-P-K/M Sq. Ft.
5. Method of applying lime and fertilizer: Spread and work into the soil before seeding.
6. Seed with the following mixture:  
  - 75% *Calamagrostis Canadensis* (Canada bluejoint)
  - 25% *Scirpus cyperinus* (wool-grass)

When using small grain as nurse crop seed it at one-half the normal seeding rate.

7. Mulching instructions: Apply at the rate of \_\_\_\_\_ tons per acre. OR  
180 pounds per M. Sq. Ft.

	<u>Amount</u>	<u>Unit #, Tons, Etc.</u>
8. TOTAL LIME.....	<u>138</u>	<u>#/1000 sq. ft.</u>
9. TOTAL FERTILIZER.....	<u>18.4</u>	<u>#/1000 sq. ft.</u>
10. TOTAL SEED.....	<u>5.0</u>	<u>#/1000 sq. ft.</u>
11. TOTAL MULCH.....	<u>180</u>	<u>#/1000 sq. ft.</u>
12. TOTAL other materials, seeds, etc.....	_____	_____

13. REMARKS

- The above seed mix is required in all temporarily disturbed wetland areas.

Fertilizer requirements shall be subject to actual test results of the topsoil used for the project. The contractor shall be responsible for providing topsoil test results for pH and recommended fertilizer application rates to the Permittee.



**ATTACHMENT B**

**Sample Certification and Inspection Forms**

**STORMWATER POLLUTION PREVENTION PLAN**  
**CONTRACTOR/SUBCONTRACTOR CERTIFICATION**

PROJECT INFORMATION

Project Name: Black Nubble Wind Farm  
Address: Redington Township, Maine

CONTRACTOR/SUBCONTRACTOR INFORMATION

Firm Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
Telephone: \_\_\_\_\_  
Type of Firm: \_\_\_\_\_

CERTIFICATION STATEMENT

“I certify under penalty of law that I understand the terms and conditions of the general Maine Pollutant Discharge Elimination System (MePDES) permit that authorizes the stormwater discharges associated with industrial activity from the construction site identified as part of this certification.”

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Typed Name

\_\_\_\_\_  
Title

\_\_\_\_\_  
Date



**STORMWATER POLLUTION PREVENTION PLAN**  
**INSPECTION REPORT**

**PROJECT INFORMATION**

Project Name: Black Nubble Wind Farm  
Address: Redington Township, Maine

**INSPECTOR INFORMATION**

Inspector Name: \_\_\_\_\_  
Firm: \_\_\_\_\_  
Title: \_\_\_\_\_  
Qualifications: \_\_\_\_\_

**INSPECTION SUMMARY**

Date of Inspection: \_\_\_\_\_  
Major Observations: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

THE FACILITY IS IN COMPLIANCE WITH THE STORMWATER POLLUTION PREVENTION PLAN WITH THE FOLLOWING EXCEPTIONS:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

ACTIONS NECESSARY TO BRING FACILITY INTO COMPLIANCE:

---

---

REQUIRED MODIFICATIONS TO STORMWATER POLLUTION PREVENTION PLAN  
(MUST BE IMPLEMENTED WITHIN 7 DAYS OF INSPECTION):

---

---

---

---

CERTIFICATION STATEMENT:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the systems, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

---

Signature

---

Typed Name

---

Title

---

Date